

CRV - PL Custom 2008 E450

Singer Associates

PL Custom In-stock Unit 2008 E450
 Bill Kost
 c - 703-362-4174
 o - 703-393-9911
 f - 703-257-2572,

Capitol Response Vehicles
 Bill Kost
 12351 Randolph Ridge Rd.
 Manassas, VA 20109
 703-393-9911
 703-257-2572
 bkost@singerassociates.com

Quote No: A0920-0003 Job/Order No: 08-2533

BODY: FD-MED170 Ford Medallion E-Super - 170"

02/03/2009

Page 1

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|--|-----|-----|
| 00-00-0100 | | == Ford Medallion E-Super - 170" - 21.000 12/21/07 == | 1 | PLG |
| | | PL Gold - Release 21.600, Updated 3-4-08 | 1 | PLG |
| | | ***** | | |
| | | ***** | | |
| | | ***** | | |
| | | FOR OFFICE USE ONLY! | | |
| | | IF YOU CAN READ THIS, TECH NOTES WILL BE PRINTED. | | |
| | | ***** | | |
| | | ***** | | |
| | | ***** | | |
| 00-10-1215 | | MED 100, E-SUPER AMBULANCE, 72" HDRM - 170" Body | 1 | PLG |
| | | Overall Vehicle Dimensions: | | |
| | | Length: 275" | | |
| | | Width: 99" | | |
| | | Height: 107" | | |
| | | Exterior Modular Body Dimensions: | | |
| | | Length: 170" | | |
| | | Width: 97" | | |
| | | Height: 89" | | |
| | | Interior Modular Body Dimensions: | | |
| | | Length: 160" | | |
| | | Width: 90 3/4 " | | |
| | | Height: 72" | | |
| 10-00-0000 | | EXTERIOR | 1 | PLG |
| 10-10-1000 | | All Aluminum Construction | 1 | PLG |
| 10-10-2000 | | Structural Integrity Warranty | 1 | PLG |
| | | The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it. | | |
| 10-12-0600 | | 8" Cab-Body Recess Type III, E-Super | 1 | PLG |
| 10-14-4100 | | Headroom, 72" | 1 | PLG |
| 10-15-1650 | | E-Super, 100" CA, Body Length, 170" | 1 | PLG |
| 10-15-2000 | | Body mounting, Type III, Ford rubber donuts | 1 | PLG |
| 10-20-1000 | | Front Body Lowered Side Skirts, 3" w/Intermediate Step | 1 | PLG |
| 11-10-0000 | | EXTERIOR DOORS, AMBULANCE | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|---|-----|-----|
| 11-10-1000 | | Trimark Power Locking, Entrance Doors, Qty (3) | 1 | PLG |
| 11-10-2000 | | Trimark Paddle Handles, Compartment Doors | 1 | PLG |
| 11-20-2000 | | Gas Spring Pneumatic Door Checks | 1 | PLG |
| 11-20-5000 | | Cast Products Grabber Rear Doors Hold Open | 1 | PLG |
| 11-25-2000 | | Compt. doors to check past 90 deg. in addition to standard Qty: (2), Location: "A" & "E" | 2 | PLG |
| 12-00-0000 | | COMPARTMENT LAYOUT | 1 | PLG |
| 12-01-008B | | Compartment Layout; 100" Medallion E-Super Exterior compartment dimensions reflect wall to wall measurements. | 1 | PLG |
| 12-10-2205 | | "A" Left Front, Full High, Oxygen "M" Tank, Sentramatic Brkt Dimensions: 20" wide x 83" high x 21" deep | 1 | PLG |
| 12-15-1000 | | "B" Left Side, Half High, W/(2) Adj. Shelves Dimensions: 40 3/8" wide x 39" high x 20" deep | 1 | PLG |
| 12-20-1005 | | "C" Left Rear, Half High, (2) Adj. Shelves Dimensions: 31" wide x 36" high x 20" deep | 1 | PLG |
| 12-25-3010 | | "D" Right Front, Oversized Height 8" Dimensions: 20" wide x 63" high x 20" deep OEM Batteries (2) lower area - On pull-out tray | 1 | PLG |
| 12-30-2505 | | "E" Right Rear, Full Height, 24" Wide, Long Equip Dimension: 24 1/2" wide x 80" high x 21 1/4" deep | 1 | PLG |
| 13-00-0000 | | EXTERIOR COMPARTMENTS | 1 | PLG |
| 13-10-1000 | | Aluminum Diamond Plate, welded | 1 | PLG |
| 13-20-1000 | | Compartment Door Panels, Alum, Diamond Plate | 1 | PLG |
| 13-30-1M00 | | Stainless Steel Door Sills, Compt & Entrance | 1 | PLG |
| 13-30-2000 | | Vent Compartments to Exterior of Vehicle | 1 | PLG |
| 13-40-1000 | | Dri-Dek, Floors of Compartment, Black | 1 | PLG |
| 13-40-2500 | | Rubber Mat, Shelves, Exterior Compartment | 1 | PLG |
| 13-40-2800 | | Turtle Tile Non-skid Stepwell Mat (removable) | 1 | PLG |
| 13-40-3000 | | Stepwell Compartment, Intermediate Step | 1 | PLG |
| 13-60-1200 | | Adjustable Shelf, Left Front Oxygen Compt "A" w/Light Below Located above 02 window unless specified. | 1 | PLG |
| 13-70-0000 | | SECURING DEVICES FOR EQUIPMENT | 1 | PLG |
| 13-70-0200 | | Bulbous mounts for (2) backboards Compt. "E" | 1 | PLG |
| 13-70-0700 | | Hanger for Ferno EXL or #65 Scoop Compartment "E" | 1 | PLG |
| 13-70-1000 | | Additional holders for Backboards (Bulbous mount) Qty:(1), Location: Compartment "E" Total:(3) | 1 | PLG |
| 13-70-2000 | | Full Height Divider w/(2) Adjustable Shelves Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves. | 1 | PLG |
| 13-70-2500 | | Securing device - Nylon strap with plastic buckle Qty:(2), Compartment "E" (1) across face of open area for stair chair. (1) across open area above stair chair. | 2 | PLG |
| 14-00-0000 | | REAR STEP BUMPER | 1 | PLG |
| 14-10-2500 | | Lift-up Rear Step, Recessed, (2) 4"Lts -lic plate left body 4" recessed Lights to activate when vehicle is in reverse or rear doors open. | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|---|-----|-----|
| 14-20-1M00 | | Rear Dock Bumpers, Bolted to Bumper Ends | 1 | PLG |
| 15-00-0000 | | ALUMINUM DIAMOND PLATE ACCESSORIES | 1 | PLG |
| 15-10-1000 | | Front Stone Guards, Polished Diamond Plate | 1 | PLG |
| 15-20-1000 | | Rub-Rails, Heavy Duty, Bolt-On, Diamond Plate | 1 | PLG |
| 15-30-1500 | | Running Brds, Non-slip Diamnd Plate w/grip strut inserts | 1 | PLG |
| 16-00-0000 | | EXTERIOR TRIM | 1 | PLG |
| 16-10-1000 | | Fenderettes, Rolled, Polished Stainless Steel | 1 | PLG |
| 16-30-1500 | | License Plate Holder w/LED Lt,Cast Prod Polish, Lt Side Body LED Light # P006076-10 & Bezel #P006105-30 | 1 | PLG |
| 16-35-1000 | | Fuel Fill Housing, Cast products, Polished | 1 | PLG |
| 16-40-1000 | | Exhaust Air Vent Cowl, Rear, Cast Products | 1 | PLG |
| 17-00-0000 | | EXTERIOR, MISCELLANEOUS | 1 | PLG |
| 17-50-1000 | | Undercoat Body | 1 | PLG |
| 18-00-0000 | | BODY WINDOWS | 1 | PLG |
| 18-10-1000 | | Window, Side Door (18"W x 22"H), Sliding, 31% Tint | 1 | PLG |
| 18-20-2100 | | Windows, Rear Doors, (16"W x 22"H), Fixed, 31% Tint | 1 | PLG |
| 20-00-0000 | | INTERIOR | 1 | PLG |
| 20-00-1000 | | INTERIOR CONSTRUCTION | 1 | PLG |
| 20-10-0000 | | INSULATION | 1 | PLG |
| 20-10-1000 | | Insulation, Interior Body | 1 | PLG |
| 20-10-2000 | | Sound Deadened Insulation, Entrance Doors | 1 | PLG |
| 20-10-3000 | | Sound Deadened, Compartment Doors | 1 | PLG |
| 20-10-4000 | | Sound Deadened Floor, PL "Sound Stop" | 1 | PLG |
| 21-10-0000 | | FRONT BULKHEAD | 1 | PLG |
| 21-20-1000 | | Type III Walk-Thru Door/Recess Pocket (Solid Window) With solid 12" X 12" window. | 1 | PLG |
| 21-30-1000 | | Climate Control Unit Over Cab to Body Passage | 1 | PLG |
| 21-40-1000 | | Electrical Power Distribution Cabinet, Vinyl | 1 | PLG |
| 21-45-0000 | | RIGHT FRONT CABINET (Upper Section) | 1 | PLG |
| 21-45-1015 | | Right front, upper storage w/lift-up restocking door Includes (1) adjustable shelf | 1 | PLG |
| 21-50-0000 | | RIGHT FRONT CABINET (Lower Section) IN/OUT | 1 | PLG |
| 21-50-1000 | | Right front, inside/outside storage | 1 | PLG |
| 21-50-2000 | | Right front, (2) adjustable shelves Shelves to be lined with ribbed rubber mat. | 1 | PLG |
| 21-60-1100 | | Right front cabinet 1/2" acrylic doors, clear | 1 | PLG |
| 21-80-2500 | | Pull-out drawer, right front cabinet, Locking Includes gas spring hold open and adjustable acrylic dividers. | 1 | PLG |
| 22-00-0000 | | RIGHT SIDE SQUAD BENCH | 1 | PLG |
| 22-00-1000 | | Squad Bench right side | 1 | PLG |
| 22-05-0500 | | Right Side Back Wall | 1 | PLG |
| 22-10-1000 | | Post and Wheel cups in bench for #11 cot | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|---|-----|-----|
| 22-15-1000 | | Under seat storage, laminated | 1 | PLG |
| 22-20-0100 | | Backrest, Fixed, Standard Retangular | 1 | PLG |
| 22-25-2500 | | Delete Standard Armrest at head of bench | 1 | PLG |
| 22-25-4130 | | Auxiliary Switch Panel, at Squad Bench above backrest Auxiliary location for dual switching of (6) momentary switch functions. Includes: Fluorescent Lights, Left Dome, Right Dome, Door Lock/Unlock, Heat / AC Fan Speed and (1) Spare Switches to be mounted horizontally above backrest in laminate covered switch pod. Requires switch panel PL-2927-6 and B00797100 Spacer Plate Requires switch pod to be fabricated and laminated due to insufficient wall depth for switches and conductors. | 1 | PLG |
| 22-25-4300 | | Removable Cargo Net Restraint, Head of Squad Bench | 1 | PLG |
| 22-25-4500 | | Recessed "D" bottles, head of sqd bench (Delete Std Armrest) "D" Bottles to be secured in F/W #521 brackets. Recessed into step well | 1 | PLG |
| 22-30-2000 | | Squad bench lid, Positive hold down device | 1 | PLG |
| 22-35-3100 | | Trash/Sharps, slide out,head of bench into aisle | 1 | PLG |
| 22-45-1128 | | Overhead cabinet 12 3/4"h, lift-up restock,w/(4)glove box stg Includes (1) adjustable shelf | 1 | PLG |
| 22-50-0500 | | Right Rear, fascia cabinet | 1 | PLG |
| 22-92-0000 | | LEFT SIDE FORWARD INTERIOR | 1 | PLG |
| 22-92-0100 | | Left side forward fascia cabinet (72"Hdrm) | 1 | PLG |
| 23-00-0000 | | LEFT SIDE MIDDLE (Base Cabinet) | 1 | PLG |
| 23-10-0150 | | Left Side Back Wall | 1 | PLG |
| 23-10-1000 | | Left side attendant seat-(CPR Seat) | 1 | PLG |
| 23-10-2000 | | Hinged Backrest for counter extension -(Single CPR Seat) | 1 | PLG |
| 23-10-5000 | | Seat cushion, fixed- (Single CPR Seat) | 1 | PLG |
| 23-10-6010 | | Cabinet above left side attn. seat, lift-up restocking door | 1 | PLG |
| 23-30-0000 | | LIFE SUPPORT STATION | 1 | PLG |
| 23-30-2000 | | Switch pod, above counter, vinyl covered | 1 | PLG |
| 23-31-1500 | | Cabinet head of switch pod, hinged door Includes (1) adjustable shelf | 1 | PLG |
| 23-32-1010 | | Upper storage cabinet, 45 deg, lift-up restocking door Includes (1) adjustable shelf | 1 | PLG |
| 23-34-1503 | | Sierra Corian counter, 1" lip, Left front: Color: Oceanic (Not available with cut-outs) | 1 | PLG |
| 23-34-2500 | | Sscort Suction recessed below counter w/hinged acrylic door Includes Southco Polished Stainless Steel latch & 1" slot in right side of door, which will form an opening when door is closed. | 1 | PLG |
| 23-36-6000 | | Clock, 12 volt 24 hour, Analog mounted on 45 degree cabinet | 1 | PLG |
| 23-40-0000 | | LEFT REAR STORAGE CABINET | 1 | PLG |
| 23-40-1055 | | Left rear full cabinet, upper, 45deg w/lift-up restocking door Sliding cabinet doors w/lift-up restocking - 45 deg hinged door to be White High Gloss Laminate for Dry Erase Board. | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|--|-----|-----|
| | | Includes (1) adjustable shelf, installed in the restocking portion of the cabinet | | |
| 23-40-3100 | | Left rear half cabinet, middle, 1/2" acrylic doors, clear Includes (1) adjustable shelf | 1 | PLG |
| 23-42-1503 | | Sierra Corian counter, 1" lip, Left rear, Color: Oceanic (Not available with cut-outs) | 1 | PLG |
| 23-42-2500 | | ALS Three (3) Drawer Storage Unit, Left Rear Below Counter w/Locking Southco Polished Stainless Steel latches | 1 | PLG |
| 24-00-0000 | | INTERIOR CABINET DOORS | 1 | PLG |
| 24-10-4M00 | | Cabinet doors, Lexan, clear | 1 | PLG |
| 24-15-1000 | | Handles, full length, sliding doors | 1 | PLG |
| 24-20-1000 | | Positive closure devices hinged doors | 1 | PLG |
| 24-25-1000 | | Unistrut, interior cabinet shelves, "Mini" | 1 | PLG |
| 24-30-0000 | | ENTRANCE DOORS | 1 | PLG |
| 24-30-1M00 | | Door panels, entrance doors, three section | 1 | PLG |
| 24-35-0000 | | ABOVE DOOR HEAD BUMPERS | 1 | PLG |
| 24-35-0100 | | Side Door Head Bumper | 1 | PLG |
| 25-00-0000 | | GRAB RAILS | 1 | PLG |
| 25-10-1000 | | Grab rail, 72", s/steel, over squad bench | 1 | PLG |
| 25-10-1500 | | Grab rail, 72", s/steel, over cot | 1 | PLG |
| 25-10-3600 | | Grab rail, 18", at rear entrance doors, (2) | 1 | PLG |
| 25-11-1A00 | | Grab rail, 45 deg, side entrance door, (1) | 1 | PLG |
| 25-12-2000 | | Grab handle, spring loaded, rear ent door (2) | 1 | PLG |
| 25-50-0000 | | SEAT BELTS | 1 | PLG |
| 25-50-1000 | | Seat belt, squad bench, Qty (3) | 1 | PLG |
| 25-50-2000 | | Seat belt, attendant seat, Qty (1) | 1 | PLG |
| 25-50-3000 | | Seat belt, left side attendant, Qty (1) | 1 | PLG |
| 25-51-1000 | | Patient restraint strap, squad bench, Qty (3) | 1 | PLG |
| 26-00-0000 | | COT MOUNTING | 1 | PLG |
| 26-25-1000 | | Cot mount, F/W 175-3, single, center, removable | 1 | PLG |
| 26-47-0400 | | MODEL OF COT | 1 | PLG |
| 26-47-1500 | | Mounting hardware for - F/W #35A Includes floor mounted safety hook and Hardware Only - Cot not included | 1 | PLG |
| 26-50-0000 | | I.V. HOLDER | 1 | PLG |
| 26-50-1M10 | | Rubber I.V. holder, dual, recessed, over cot | 1 | PLG |
| 26-50-2100 | | Rubber I.V. holder, dual, recessed, over squad bench | 1 | PLG |
| 27-00-0000 | | INTERIOR COLORS | 1 | PLG |
| 27-10-1000 | | Ceiling, white Kemlite, pebble finish | 1 | PLG |
| 27-10-2010 | | Upper Laminate - High Gloss Khaki D50-01 | 1 | PLG |
| 27-10-5410 | | Lower Laminate - High Gloss Navy Legacy 4851-01 | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|---|-----|-----|
| 27-20-0000 | | INTERIOR UPHOLSTERY | 1 | PLG |
| 27-20-5000 | | Upholstery, Flat-Seamless | 1 | PLG |
| 27-20-6500 | | Upholstery Color: Sand | 1 | PLG |
| 27-30-0000 | | ATTENDANT SEAT | 1 | PLG |
| 27-33-1500 | | Attn Seat, EVS w/built in child seat (Swivel), Sand | 1 | PLG |
| 27-50-0000 | | FLOORING | 1 | PLG |
| 27-53-2200 | | Lonplate II, diamond plate, Gunpowder (#424TX) | 1 | PLG |
| 27-55-2000 | | Flooring rolled up side walls 3" | 1 | PLG |
| 27-70-0000 | | CAB CONSOLE | 1 | PLG |
| 27-70-1200 | | Type III Aluminum Oval Console, Power Logix Style (Standard Switching) | 1 | PLG |
| | | Ref drawing B00728700 | | |
| 27-70-1550 | | Radio Console-(for Eliptical Console (Pwr Lgx style) | 1 | PLG |
| 27-75-1200 | | Map Box w/Cup Holders- 2 Map Pockets-(Eliptical Console) | 1 | PLG |
| 28-00-0000 | | MISCELLANEOUS INTERIOR | 1 | PLG |
| 28-20-1000 | | Clock, 12 v 24 hr, Analog (over rear doors) | 1 | PLG |
| 28-50-1000 | | Fasten Seat Belt/No Smoking Sign | 1 | PLG |
| 28-50-2000 | | Entrance Door Reflectors | 1 | PLG |
| 28-50-3500 | | Diamond Plate Cab Door Panels w/4" Round Whelen LED Light | 1 | PLG |
| 30-00-0000 | | OXYGEN AND SUCTION | 1 | PLG |
| 30-10-1000 | | Oxygen Outlet, Air Liquide, dual, LSS | 1 | PLG |
| 30-10-2000 | | Oxygen Outlet, Air Liquide, single, rt side | 1 | PLG |
| 30-10-4500 | | Oxygen Outlet, single, ceiling raceway, front | 1 | PLG |
| 30-20-1000 | | Oxygen Solenoid w/ manual override & switch | 1 | PLG |
| 30-30-1000 | | Suction pump, electric, Thomas, switch in LSS | 1 | PLG |
| 30-30-2400 | | Collection Bottle, SSCOR Disp. w/regulator | 1 | PLG |
| 30-40-3000 | | PL Oxygen Monitoring System Incls #1633-2 Large tank regulator | 1 | PLG |
| 30-50-2200 | | Oxygen Bottle Holder, Steel, "M" Cyl, Sentramatic The Bracket is located on the "Aft" wall, when installed in the "A", "C" or "E" compartments. | 1 | PLG |
| 30-80-1000 | | Wrench, Oxygen Cyl. w/tubing covered chain- (wall mounted) | 1 | PLG |
| 40-00-0000 | | ELECTRICAL | 1 | PLG |
| 40-00-0500 | | Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it. | 1 | PLG |
| 40-00-1100 | | Electrical 12 VDC, Type III | 1 | PLG |
| 40-00-1900 | | Electrical 12 VDC Specifications | 1 | PLG |
| 41-00-0000 | | CAB ELECTRICAL | 1 | PLG |
| 41-10-0500 | | Alternator, Dual 110 amp, OEM Ford | 1 | PLG |
| 41-20-1100 | | Batteries, OEM Compt "D", Qty (2) on pull-out tray | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|---|-----|-----|
| 41-30-3700 | | Switch, Master Bat, TST Sol, W/Ignition Off Automatic shut down 5 min with ignition off. | 1 | PLG |
| 42-00-0000 | | SWITCH PANEL | 1 | PLG |
| 42-10-1000 | | Voltmeter, TSD 270 deg sweep | 1 | PLG |
| 42-10-2400 | | Low Voltage Alarm & Indicator | 1 | PLG |
| 42-15-2500 | | Rocker Switches, Carling Euro Style | 1 | PLG |
| 42-20-0500 | | Battery On indicator light | 1 | PLG |
| 42-20-1000 | | Warning Indicator, Door open, Red | 1 | PLG |
| 42-20-2000 | | Warning Indicator, Compt open, Red | 1 | PLG |
| 42-20-3000 | | Warning Indicator, Audible alarm, Door/Compt | 1 | PLG |
| 42-20-4200 | | Warning Ind/Audible, Parking Brake, Dual-Mode Alarm | 1 | PLG |
| 42-21-1000 | | Hella Gooseneck Light 7", Includes Red Filter | 1 | PLG |
| 42-25-6000 | | Throttle, Electronic Ford OEM | 1 | PLG |
| 42-30-1000 | | Back-up alarm, w/resetting cancel switch | 1 | PLG |
| 42-35-1000 | | Spotlight, Unity 5", wired direct to console | 1 | PLG |
| 42-45-2200 | | Load Manager/Sequencer, PL Custom/Kussmaul (full time) RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP | 1 | PLG |
| | | FULL TIME Load Management of Emergency Lights | | |
| 42-50-1000 | | Hourmeter, LCD, drivers console | 1 | PLG |
| 42-65-1300 | | Power Door Lock Switch, Entrance, OEM Door switch | 1 | PLG |
| 42-65-1500 | | Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors. | 1 | PLG |
| 42-65-2010 | | Power Door Lock Switch, Side Entrance Door | 1 | PLG |
| 42-65-2020 | | Power Door Lock Switch, Rear Entrance Doors | 1 | PLG |
| 42-65-2200 | | Power Door Lock Concealed Override Switch, Grille Located in front grille area. | 1 | PLG |
| 42-70-1200 | | Anti-Theft device, Kussmaul (#3)- E & F Series Only | 1 | PLG |
| 43-00-0000 | | EMERGENCY WARNING EQUIPMENT | 1 | PLG |
| 43-20-0000 | | SIREN | 1 | PLG |
| 43-20-5000 | | Siren-Horn Switch | 1 | PLG |
| 43-2U-4330 | | Siren, Whelen 295SLSA1, w/Programmed "Power Call" PL Factory programming of this Siren for "Power Call". | 1 | PLG |
| 43-30-0000 | | SIREN SPEAKERS | 1 | PLG |
| 43-30-0660 | | Thru-Bumper Speakers, CPI SAD/SAP4319,(2) 2008 Model | 1 | PLG |
| 43-40-0000 | | FRONT LIGHT BAR | 1 | PLG |
| 43-40-7000 | | Light Bar Mounted on Cast Aluminum Pods | 1 | PLG |
| 43-4U-6000 | | Whelen Freedom Series Super-LED, FL2RRRF /FLD20020, 55" Lens Color & Layout: Four (4) Corner Linear Super-LED's front facing - Red (4) Super-LED's Inboard - Clear/ Red/ Red/ Clear w/Clear outer lense | 1 | PLG |
| | | Ref. Procedure ELE-U-XXXXXX-00618 | | |
| 43-50-0000 | | REAR LIGHT BAR | 1 | PLG |
| 43-50-3525 | S | Whelen 4500 Plus Series 45KRL (8) 400 Super-LED w/Work Lts Light bar to have 400 Series Super-LED lights Includes (5) Red ICC Lights & 3rd Brake Light | 1 | PLG |
| | | Lens Color & Layout: Red LED/ Red LED/ Red LED/ Work/ Amber LED/ Amber LED/ Work/ Red LED/ Red | | |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|---|-----|-----|
| | | LED/ Red LED | | |
| 43-60-0000 | | FLASHING WARNING LIGHTS | 1 | PLG |
| 43-60-0125 | | Light heads with clear lenses Option. All exterior cab and body LED warning light lense colors will be clear. Split color LED light heads will have clear lenses. | 1 | PLG |
| 43-60-0500 | | BODY MOUNTED LIGHTS | 1 | PLG |
| 43-60-2550 | | LED Independent Flash, "ACTIONSCAN" mode Primary/ secondary switch in console All Body and cab warning lights will be set to "ACTIONSCAN" and flash in an unsynchronized, random pattern. Alternating flasher is required for brake priority lightheds, which will be set to "SIGNALALERT STEADY"; SUPER LED lightheds will be steady burn. | 1 | PLG |
| 43-62-2900 | | Delete Rear 900 Series Amber Flashing Light | 1 | PLG |
| 43-63-0650 | | Whelen 900 Series Super-LED, w/Flange, Red, (2) Lt, (2) Rt | 1 | PLG |
| 43-63-1150 | | Whelen 900 Series Super-LED w/Flange, Red, (2) Front | 1 | PLG |
| 43-63-1620 | | Whelen 900 Split Super-LED,w/Flange Red/Amb, (2) Rear window 1/2 Red, 1/2 Amber, Over/Under with Clear Outer Lens | 1 | PLG |
| 43-63-2202 | | Whelen 900 Series Super-LED w/Flange, Clear (1) Frt/Ctr | 1 | PLG |
| 43-64-8000 | | MISCELLANEOUS LED BODY MOUNTED LTS | 1 | PLG |
| 43-64-8812 | | Whelen 700 Split R/W Super- LED w/Flange,(2) Over Rear Wheel "COMETFLASH ALTERNATING" | 1 | PLG |
| 43-66-0100 | | CAB MOUNTED LIGHTS | 1 | PLG |
| 43-66-0200 | | Whelen 500 Super LED,Grille w/Cast Housing, (2) Red | 1 | PLG |
| 43-66-0250 | | Whelen 500 Super LED, Grille w/Cast Housing (1) Red (1)White In addition to standard lights | 1 | PLG |
| 43-66-1112 | | Whelen 700 Series Split R/W Super-LED w/flange, (2) Fender Default pattern is "COMETFLASH ALTERNATING" | 1 | PLG |
| 43-79-0000 | | FLASHING LIGHTS; OTHER | 1 | PLG |
| 43-79-1825 | | Safety Lt, (1) 700 Super LED, Amber, Side Ent Door Full time | 1 | PLG |
| 43-79-2000 | | Safety Lts Compt, 4" round, Amber, LED Rear Facing Doors, ea Safety lights to operate independently with each compartment door open and master battery switch on. | 5 | PLG |
| | | Qty: (5), Loc: "A", "B", "C", "D" & "E" | | |
| 44-00-0000 | | EXTERIOR VEHICLE LIGHTS | 1 | PLG |
| 44-10-1500 | | Light heads with clear lenses Option. Exterior vehicle lights lens colors will be clear. | 1 | PLG |
| 44-10-2500 | | Stop/Tail, (2) Whelen 600 Series LED w/Flange | 1 | PLG |
| 44-15-1M00 | | Back-up, (2) Whelen 600 Series, w/Flange | 1 | PLG |
| 44-25-1800 | | Directional, (2) Whelen 600 Series LED Populated Arrow | 1 | PLG |
| 44-30-1000 | | Marker/Clearance Lts, LED Front, Rear, (2) Sides | 1 | PLG |
| 44-30-2000 | | Reflectors, Red & Amber (2) Each Side | 1 | PLG |
| 44-30-5500 | | Running Board Illum Lights, (2), 4" LED Recessed | 1 | PLG |
| 44-40-1800 | | Front Body Directional (2) Whelen 600 LED Populated Arrow | 1 | PLG |
| 44-50-0000 | | FLOOD LIGHTS | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|---|-----|-----|
| 44-50-1000 | | Whelen 900, 13 deg Flood w/Flange, (4), two per side | 1 | PLG |
| 44-55-2000 | | Rear Flood Lights Built into Rear Light Bar | 1 | PLG |
| 44-60-1000 | | Right Side Floods on with Side Door/Switch | 1 | PLG |
| 44-60-2000 | | Left Side Floods w/On-Off Switch Console | 1 | PLG |
| 44-60-3000 | | Rear Flood Lights on w/Rear Door Open/Reverse | 1 | PLG |
| 44-60-4000 | | Rear Flood Lights, On-Off Switch in Console | 1 | PLG |
| | | | | |
| 45-00-1000 | | CLIMATE CONTROL | 1 | PLG |
| 45-10-1000 | | Ventilation, Flow-Thru, (2) Speed, Rear Cowl | 1 | PLG |
| 45-30-1M00 | | Ducted Heater/Air Cond, Digital Thermostat | 1 | PLG |
| 45-35-1100 | | Auxiliary Coolant Pump Climate Control System w/Enhanced Fan Assembly & Lower Mounted Air Return Grille | 1 | PLG |
| | | | | |
| 45-60-1000 | | Switch in Cab On-Off Control, Heater-A/C Unit | 1 | PLG |
| | | | | |
| 46-00-0000 | | INTERIOR LIGHTS | 1 | PLG |
| 46-10-0700 | | Dome Lights, Weldon 1157, Hi-Lo, Qty (6) | 1 | PLG |
| 46-10-2000 | | Dome Lights Switched to Low Mode w/Door Open | 1 | PLG |
| 46-20-1000 | | Lights In Exterior Compartments, 4" Recessed | 1 | PLG |
| 46-20-1150 | | Whelen LED Strip-Lite, (upgrade) Rght. Frnt In-Out Compt | 1 | PLG |
| 46-20-2500 | | Whelen LED Strip-Lite, Level 3 Intensity- (LSS Area) | 1 | PLG |
| 46-20-3500 | | Patient Procedure Lights, Fluorescent, Qty (2) | 1 | PLG |
| 46-20-4000 | | Directional Indicator lights, amber LED (marker style) Ceiling mounted rear of body | 1 | PLG |
| | | | | |
| | | Ref Procedure ELE-M0-XXXXXX-00312 | | |
| | | | | |
| 46-20-4500 | | Rear Step "Up" Indicator light in Rear Head Bumper | 1 | PLG |
| 46-30-1100 | | Stepwell Light, LED, Located at Side Entrance Door | 1 | PLG |
| 46-40-1M00 | | Fluorescent Lights, 18", Qty (4) | 1 | PLG |
| 46-40-2000 | | Fluorescent Lights, Operate from Battery Charger | 1 | PLG |
| 46-40-3M00 | | Fluorescent Lts "Check-Out" Timer, Side Door | 1 | PLG |
| 46-50-1000 | | Dome Light Switch, (1) Left, (1) Right | 1 | PLG |
| 46-50-5500 | | Three-way Dome/Fluorescent Light Master Switch Cab Console and Rear Switch Panel | 1 | PLG |
| | | | | |
| 47-00-0000 | | MEDICAL OUTLETS | 1 | PLG |
| 47-20-1000 | | 12 volt Medical Outlet, Power Point, Loc: LSS | 1 | PLG |
| 47-20-2000 | | 12 volt Medical Outlet, Power Point, Loc: Right Front In/out | 1 | PLG |
| 47-20-2500 | | 12 volt Medical Outlet, Power Point, Loc: Left Rear | 1 | PLG |
| | | | | |
| 47-60-0000 | | ANTENNA/COMMUNICATION RADIO | 1 | PLG |
| 47-60-1000 | | Antenna Leads, (3) Body Roof To: (1) Front console, (1) L/S/S, (1) Behind driver seat. | 3 | PLG |
| | | | | |
| 47-60-6200 | | Radio Power Lead, rear L/S/S Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp. | 1 | PLG |
| | | | | |
| 47-60-6500 | | Radio Power Lead w/30 Amp Breaker, 10 ga. Cab Console Includes: (1) 12 volt Hot wire w/fuse holder & 30 amp fuse, (1) 12 volt switched wire w/fuse holder and 30 amp fuse. | 1 | PLG |
| | | | | |
| 47-60-7000 | | Radio Power Lead w/40 Amp Breaker, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse. | 1 | PLG |
| | | | | |
| 48-00-0000 | | MISCELLANEOUS 12 VOLT ELECTRICAL | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|------------|---|---|-----|-----|
| 48-15-1600 | | Back-Up 2-Camera System w/7" Flat Panel LCD Monitor w/Audio Monitor to mount on 4" Pedestal in cab ceiling between sun visors. | 1 | PLG |
| 48-20-2000 | | Speakers, Stereo Volume Control Rear Sw Panel | 1 | PLG |
| 48-50-3004 | | Clocks, 12v 24 hr, Analog 45 deg & 12v Analog over rear doors Reference Procedure INS-M0-XXXXXX-00514 | 1 | PLG |
| 50-00-0000 | | ELECTRICAL 115 VOLT AC | 1 | PLG |
| 51-20-5000 | | Shoreline, Super Auto-Eject 20 amp, White, Left Side | 1 | PLG |
| 51-30-1500 | | Shoreline/ Battery Charging Dual Indicator Lights Shoreline - Amber Neon Battery Charger - Green LED | 1 | PLG |
| | | This option N/A with 1050 inverter/charger | | |
| 51-32-2000 | | Power Distr Box, 115v, w/20 amp Circuit Bkr | 1 | PLG |
| 51-40-1000 | | Engine Block Heater to Shoreline Hubble Hospital Grade Female Connector Under Hood | 1 | PLG |
| 51-40-3000 | | On-off Switch 115v, For Control of Block Htr | 1 | PLG |
| 52-10-1000 | | Hospital Grade Lighted GFCI Outlet, Location: L/S/S | 1 | PLG |
| 52-10-2000 | | Hospital Grade Lighted Outlet, Location: Left Rear | 1 | PLG |
| 52-10-3000 | | Hospital Grade Lighted Outlet, Location: Right Front In/out | 1 | PLG |
| 54-00-0000 | | BATTERY CHARGER | 1 | PLG |
| 54-10-1M00 | | Battery Charger, IOTA DLS-30, 30 amp | 1 | PLG |
| 60-00-0000 | | PAINT LUSTRE | 1 | PLG |
| 60-00-0005 | | Ten Year Paint Warranty (Paint Lustre) The Paint Lustre paint and finish shall be warranted for ten years | 1 | PLG |
| 60-10-1000 | | Paint Modular Body White-E-Series, YZ (Ford) | 1 | PLG |
| 61-10-6500 | | Delete Standard Beltline Stripe | 1 | PLG |
| 70-00-0000 | | RADIO EQUIPMENT | 1 | PLG |
| 70-10-0000 | | TECHNICAL INSTALLATION OPTIONS | 1 | PLG |
| 70-10-0500 | | No Technical Radio Installation | 1 | PLG |
| 75-00-0000 | | CHASSIS EQUIPMENT | 1 | PLG |
| 75-10-1M00 | | Stainless Steel Wheel Inserts Light Duty | 1 | PLG |
| 75-15-2000 | | Front Axle Weight Counter Balance Plates E series | 1 | PLG |
| 75-55-1500 | | Mirrors, Ford OEM, Power Adjust Trailer Tow, Econoline III | 1 | PLG |
| 75-60-3500 | | Dia. Plate Cab Door Panels w/Whelen 200 Series Amber LED Lt 4" diameter LED Amber w/flange -P006105-24 | 1 | PLG |
| 75-95-2500 | | Ford Series Front End-Caster Camber Align | 1 | PLG |
| 75-95-3000 | | Dual Valve Extenders for rear tires | 1 | PLG |
| 80-00-0000 | | EQUIPMENT | 1 | PLG |
| 80-43-5500 | | Bottle Bracket, Universal F/W Model 521, (2) Located in recessed stepwell area head of squad bench. | 1 | PLG |
| 95-10-1000 | | CHASSIS | 1 | PLG |
| 95-10-1510 | | 2008 FORD E-450 Super Duty, 100" CA, XL Trim Ford E-450 Super Duty Cutaway Cab and Chassis | 1 | PLG |

| PART NO | S | DESCRIPTION | QTY | ID |
|---------|---|---|-----|----|
| | | Wheelbase 158" CA 100" | | |
| | | G.V.W. 14,500 lbs. | | |
| | | Front Axle 5000 lbs. | | |
| | | Rear Axle 9,450 lbs. - Dana 80 w/synthetic lubrication | | |
| | | 6.0L DI "Powerstroke" Turbo Diesel Engine | | |
| | | Torque Shift Five Speed Automatic Transmission | | |
| | | Four-wheel disc brakes | | |
| | | Four-wheel anti-lock brake system (ABS) | | |
| | | Interior/Exterior Appearance Upgrade | | |
| | | Power Door Locks and Windows | | |
| | | Chrome front bumper and grille | | |
| | | Daytime Running Lights | | |
| | | Halogen aero headlight | | |
| | | Dual cloth captains chairs | | |
| | | Color keyed carpeting & headliner | | |
| | | Color keyed cloth sun visor | | |
| | | Ambulance Prep Package 47A | | |
| | | Auxiliary Heater - A/C Converter Package | | |
| | | 4.10:1 Rear Axle Ratio Limited Slip | | |
| | | Air Conditioning | | |
| | | Dual 110 amp alternators | | |
| | | Auxiliary Trans Oil Cooler | | |
| | | Dual Electric Horns | | |
| | | Mirrors - Power Adjust Trailer Tow | | |
| | | Engine block heater | | |
| | | Driver / Passenger air bag | | |
| | | Interior Features | | |
| | | Interval windshield wipers | | |
| | | Gauges: Voltmeter, Oil Pressure, Temperature, Trip Odometer, Tachometer | | |
| | | Speed Control & Tilt Steering Wheel | | |
| | | Wait to Start Light | | |
| | | AM/FM Radio w/CD | | |
| | | Exterior Features | | |
| | | Engine Oil Cooler | | |
| | | Fuel/Water Separator | | |
| | | Fuel Tank - 55 gallons | | |
| | | Dual Heavy Duty Batteries, Total 1500 CCA | | |
| | | Tires: LT225/75R 16E (six) Steel Belted | | |
| | | Radial | | |
| | | Spare Tire: LT225/75R 16E Steel Belted Radial | | |
| | | Stabilizer Bar, front and rear | | |
| | | Shock Absorbers - Heavy Duty, front & rear | | |
| | | Exterior Color: Oxford White #YZ | | |
| | | Interior Color: Medium Graphite | | |